Author Index

Abbott, P. Asian Pacific Endodontic Confederation News, May 1999, 337

Ackermann, M. *see* Schrader, C.

Adamo, H.L., Buruiana, R., Schertzer, L. & Boylan, R.J. A comparison of MTA, Super-EBA, composite and amalgam as root-end filling materials using a bacterial microleakage model, 197

Adib-Yazdi, M., Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436

Al-Nazhan, S. Incidence of four canals in root canal treated mandibular first molars in a Saudi Arabian sub-population, 49

Al-Omari, M.A.O., Hattab, F.N., Darwazeh, A.M.G. & Dummer, P.M.H. Clinical problems associated with unusual cases of talon cusp, 183

Alwas-Danowska, H. M. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study, 459

Anić, I. *see* Miletić, I.

Apicella, M.J., Loushine, R.J., West, L.A. & Runyan, D.A. A comparison of root fracture resistance using two root canal sealers, 376

Ayhan, H., Sultan, N., ·irak, M., Ruhi, M.Z. & Bodur, H. Antimicrobial effects of various endodontic irrigants on selected microorganisms, 99

Bantleon, H.P. *see* Pertl, C.

Barbakow, F. *see* Peters, O.

Barbakow, F. *see* Schrader, C.

Barthel, C.R., Moshonov, J., Shuping, G. & rstavik, D. Bacterial leakage versus dye leakage in obturated root canals, 370

Bartold, P. M. . A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface following root-end rection *in vitro*, 450

Bartold, P. M. A comparison *in vitro* of fibroblast attachment to resected root-ends, 444

Bechelli, C. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484

Behr, K. *see* Steffen, H.

Benhamou, L.-M. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436

Bertrand, M.-F., Pizzardini, P., Muller, M., Médioni, E. & Rocca, J.-P. The removal of the smear layer using the Quantec system. A study using scanning electron microscope, 217

Bjrndal, L., Carlsen, O., Thuesen, G., Darvann, T. & Kreiborg, S. External and internal macromorphology in 3D-reconstructed maxillary molars using computerized x-ray microtomography, 3

Blum, J.-Y., Cohen, A., Machtou, P. & Micallef, J.-P. Analysis of forces developed during mechanical preparation of extracted teeth using Profile NiTi rotary instruments, 24

Blum, J.-Y., Machtou, P. & Micallef, J.-P. Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth, 108

Bodur, H. *see* Ayhan, H.

Bogen, G. & Slots, J. Black-pigmented anaerobic rods in closed periapical lesions, 204

Bou Dagher, F.E. *see* Yared, G.M.

Boucher, Y. *see* Sauveur, G.

Bourba, M. *see* Bryant, S.T.

Boylan, R.J. *see* Adamo, H.L.

Bramante, C. M. Unusual case of bilateral talon cusp associated with dens invaginatus (Clinical article), 494

Brizuela, C. *see* Gutiérrez, J.H.

Brown, G.A. *see* Manogue, M.

Bryant, S.T., Dummer, P.M.H., Pitoni, C., Bourba, M. & Moghal, S. Shaping ability of.04 and.06 taper ProFile rotary nickeltitanium instruments in simulated root canals, 155

Burkhart, N. *see* Tidwell, E.

Buruiana, R. *see* Adamo, H.L.

Çalişkan, M.K., Türkün, M. & Gomel, M. Surgical extrusion of crown-root-fractured teeth: a clinical review, 146

Carlsen, O. *see* Bjørndal, L.

Chandler, N.P. *see* Odor, T.M.

Çirak, M. *see* Ayhan, H.

Cohen, A. *see* Blum, J.-Y.

Colafranceschi, M. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484

Curtis, R.V. *see* Rhodes, J.S.

Darvann, T. *see* Bjørndal, L.

Darwazeh, A.M.G. *see* Al-Omari, M.A.O.

Davalou, S., Gutmann, J.L. & Nunn, M.H. Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques, 388

de Sousa, S. M. G. Unusual case of bilateral talon cusp associated with dens invaginatus (Clinical article), 494

Diekwisch, T. *see* Regan, J.D.

Dummer, P.M.H. Editorial, 1

Dummer, P.M.H. *see* Al-Omari, M.A.O.

Dummer, P.M.H. *see* Bryant, S.T.

Dummer, P.M.H. *see* Qualtrough, A.J.E.

Ebeleseder, K. *see* Pertl, C.

Ellis, C.D. *see* Tidwell, E.

Emery, C. Report of Spring Scientific Meeting of the BES, Saturday 14th March 1998, 67

Emery, C. Report of the British Endodontic Society 1998 Regional Meeting at Chester, 243

Fava, L.R.G. & Saunders, W.P. Calcium hyrdoxide pastes: classification and clinical indications, 257

Fava, L.R.G. Apex formation during orthodontic treatment in an adult patient: report of a case, 321

Feiglin, B. 10th International Conference on Dental Traumatology, Melbourne, Australia, 337

Figueiredo, F. *see* Filho, P.Nelson

Filho, P.N., Silva, L.A.B., Leonardo, M.R., Utrilla, L.S. & Figueiredo, F. Connective tissue responses to calcium hydroxide-based root canal medicaments, 303

Ford, T.P. Swiss Society for Endodontology, 244

Fox, K. *see* Manogue, M.

Friedman, S., The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430

Fuss, Z., Lustig, J. & Tamse, A. Prevalence of vertical root fractures in extracted endodontically treated teeth, 283

© 1999 Blackwell Science Ltd

Author Index

Abbott, P. Asian Pacific Endodontic Confederation News, May 1999, 337

Ackermann, M. *see* Schrader, C.

Adamo, H.L., Buruiana, R., Schertzer, L. & Boylan, R.J. A comparison of MTA, Super-EBA, composite and amalgam as root-end filling materials using a bacterial microleakage model, 197

Adib-Yazdi, M., Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436

Al-Nazhan, S. Incidence of four canals in root canal treated mandibular first molars in a Saudi Arabian sub-population, 49

Al-Omari, M.A.O., Hattab, F.N., Darwazeh, A.M.G. & Dummer, P.M.H. Clinical problems associated with unusual cases of talon cusp, 183

Alwas-Danowska, H. M. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study, 459

Anić, I. *see* Miletić, I.

Apicella, M.J., Loushine, R.J., West, L.A. & Runyan, D.A. A comparison of root fracture resistance using two root canal sealers, 376

Ayhan, H., Sultan, N., ·irak, M., Ruhi, M.Z. & Bodur, H. Antimicrobial effects of various endodontic irrigants on selected microorganisms, 99

Bantleon, H.P. *see* Pertl, C.

Barbakow, F. *see* Peters, O.

Barbakow, F. *see* Schrader, C.

Barthel, C.R., Moshonov, J., Shuping, G. & rstavik, D. Bacterial leakage versus dye leakage in obturated root canals, 370

Bartold, P. M. . A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface following root-end rection *in vitro*, 450

Bartold, P. M. A comparison *in vitro* of fibroblast attachment to resected root-ends, 444

Bechelli, C. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484

Behr, K. *see* Steffen, H.

Benhamou, L.-M. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436

Bertrand, M.-F., Pizzardini, P., Muller, M., Médioni, E. & Rocca, J.-P. The removal of the smear layer using the Quantec system. A study using scanning electron microscope, 217

Bjrndal, L., Carlsen, O., Thuesen, G., Darvann, T. & Kreiborg, S. External and internal macromorphology in 3D-reconstructed maxillary molars using computerized x-ray microtomography, 3

Blum, J.-Y., Cohen, A., Machtou, P. & Micallef, J.-P. Analysis of forces developed during mechanical preparation of extracted teeth using Profile NiTi rotary instruments, 24

Blum, J.-Y., Machtou, P. & Micallef, J.-P. Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth, 108

Bodur, H. *see* Ayhan, H.

Bogen, G. & Slots, J. Black-pigmented anaerobic rods in closed periapical lesions, 204

Bou Dagher, F.E. *see* Yared, G.M.

Boucher, Y. *see* Sauveur, G.

Bourba, M. *see* Bryant, S.T.

Boylan, R.J. *see* Adamo, H.L.

Bramante, C. M. Unusual case of bilateral talon cusp associated with dens invaginatus (Clinical article), 494

Brizuela, C. *see* Gutiérrez, J.H.

Brown, G.A. *see* Manogue, M.

Bryant, S.T., Dummer, P.M.H., Pitoni, C., Bourba, M. & Moghal, S. Shaping ability of.04 and.06 taper ProFile rotary nickeltitanium instruments in simulated root canals, 155

Burkhart, N. *see* Tidwell, E.

Buruiana, R. *see* Adamo, H.L.

Çalişkan, M.K., Türkün, M. & Gomel, M. Surgical extrusion of crown-root-fractured teeth: a clinical review, 146

Carlsen, O. *see* Bjørndal, L.

Chandler, N.P. *see* Odor, T.M.

Çirak, M. *see* Ayhan, H.

Cohen, A. *see* Blum, J.-Y.

Colafranceschi, M. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484

Curtis, R.V. *see* Rhodes, J.S.

Darvann, T. *see* Bjørndal, L.

Darwazeh, A.M.G. *see* Al-Omari, M.A.O.

Davalou, S., Gutmann, J.L. & Nunn, M.H. Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques, 388

de Sousa, S. M. G. Unusual case of bilateral talon cusp associated with dens invaginatus (Clinical article), 494

Diekwisch, T. *see* Regan, J.D.

Dummer, P.M.H. Editorial, 1

Dummer, P.M.H. *see* Al-Omari, M.A.O.

Dummer, P.M.H. *see* Bryant, S.T.

Dummer, P.M.H. *see* Qualtrough, A.J.E.

Ebeleseder, K. *see* Pertl, C.

Ellis, C.D. *see* Tidwell, E.

Emery, C. Report of Spring Scientific Meeting of the BES, Saturday 14th March 1998, 67

Emery, C. Report of the British Endodontic Society 1998 Regional Meeting at Chester, 243

Fava, L.R.G. & Saunders, W.P. Calcium hyrdoxide pastes: classification and clinical indications, 257

Fava, L.R.G. Apex formation during orthodontic treatment in an adult patient: report of a case, 321

Feiglin, B. 10th International Conference on Dental Traumatology, Melbourne, Australia, 337

Figueiredo, F. *see* Filho, P.Nelson

Filho, P.N., Silva, L.A.B., Leonardo, M.R., Utrilla, L.S. & Figueiredo, F. Connective tissue responses to calcium hydroxide-based root canal medicaments, 303

Ford, T.P. Swiss Society for Endodontology, 244

Fox, K. *see* Manogue, M.

Friedman, S., The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430

Fuss, Z., Lustig, J. & Tamse, A. Prevalence of vertical root fractures in extracted endodontically treated teeth, 283

© 1999 Blackwell Science Ltd

Gomel, M. *see* Çalişkan, M.K.
Gutiérrez, J.H., Brizuela, C. & Villota, E. Human teeth with periapical pathosis after overinstrumentation and overfilling of the root canals. A scanning electron microscopic study, 40
Gutmann, J. L. Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer, 464
Gutmann, J.L. *see* Davalou, S.
Gutmann, J.L. *see* Hamilton, R.S.
Gutmann, J.L. *see* Regan, J.D.
Gutmann, J.L. *see* Tidwell, E.
Gutmann, J.L. *see* Tidwell, E.

Haapasalo, M. P. P. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations, 421
Haapasalo, M.P.P. *see* Waltimo, T.M.T.
Hamilton, R.S. & Gutmann, J.L. Endodontic-orthodontic relationships: a review of integrated treatment planning challenges, 343
Harashima, T. *see* Takeda, F.H.
Hata, G. *see* Weine, F.S.
Hattab, F.N. *see* Al-Omari, M.A.O.
Hayami, S. *see* Weine, F.S.
Hayashi, M. *see* Takeichi, O.
Herbison, P. *see* Kelsen, A.E.
Hirayama, K. *see* Nakamura, Y.
Hossain, M. *see* Nakamura, Y.
Hutson, B. *see* Tidwell, E.
Huysmans, M.-C. D. N. J. M. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study, 459

Iacopino, A.M. *see* Regan, J.D.
Imwinkelried, S. *see* Lussi, A.

Jukić, S. *see* Miletić, I.

Kelsen, A.E., Love, R.M., Kieser, J.A. & Herbison, P. Root canal anatomy of anterior and premolar teeth in Down's syndrome, 211
Kerezoudis, N.P., Valavanis, D. & Prountzos, F. A method of adapting gutta-percha master cones for obturation of open apex cases using heat, 53
Khabbaz, M. & Papadopoulos, P.D. Deposition of calcified tissue around an overextended gutta-percha cone: case report, 232
Kieser, J.A. *see* Kelsen, A.E.
Kimura, Y. *see* Takeda, F.H.
Koch, M.J. Formaldehyde release from root canal sealers: influence of method, 10
Kreiborg, S. *see* Bjrndal, L.
Kytridou, V. Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer, 464

Lachkar, T. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436
Lalh, M. S. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Lam, C.W. & Wilson, P.R. Crown cementation and pulpal health, 249
Lambrianidis, T.H. *see* Mikrogeorgis, G.
Leonardo, M.R. *see* Filho, P.Nelson
Liepins, P.J. *see* Rhodes, J.S.
Lopes, H.P. *see* Siqueira, J.F.Jr
Lorenzoni, M. *see* Pertl, C.
Loushine, R.J. *see* Apicella, M.J.
Love, R.M. *see* Kelsen, A.E.
Love, R.M. *see* Silver, G.K.
Lussi, A., Imwinkelried, S. & Stich, H. Obturation of root canals with different sealers using the non-instrumentation technology (NIT), 17
Lustig, J. *see* Fuss, Z.
Lynch, J.A. *see* Rhodes, J.S.
Lyroudia, K.L. *see* Mikrogeorgis, G.

Machtou, P. *see* Blum, J.-Y.
Machtou, P. *see* Blum, J.-Y.
Machtou, P. *see* Yared, G.M.
Makhani, S.H.S. *see* Whitworth, J.M.
Mandel, E. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436
Manogue, M., Brown, G.A., Nattress, B.R. & Fox, K. Improving student learning in root canal treatment using self-assessment, 397
Matsumoto, K. *see* Nakamura, Y.
Matsumoto, K. *see* Takeda, F.H.
Mccabe, J.F. *see* Whitworth, J.M.
Mcdonald, F. *see* Odor, T.M.
Médioni, E. *see* Bertrand, M.-F.
Mesgouez, C. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436
Micallef, J.-P. *see* Blum, J.-Y.
Micallef, J.-P. *see* Blum, J.-Y.
Mikrogeorgis, G., Lyroudia, K.L., Nikopoulos, N., Pitas, I., Molyvdas, I. & Lambrianidis, T.H. D computer-aided reconstruction of six teeth with morphological abnormalities, 88
Miles, Richard. Publisher's note, 2
Miletić, I., Anić, I., Pezelj-Ribarić, S. & Jukić, S. Leakage of five root canal sealers, 415
Miñana-Laliga, R. *see* Peix-Sánchez, M.
Moghal, S. *see* Bryant, S.T.
Molyvdas, I. *see* Mikrogeorgis, G.
Moshonov, J. *see* Barthel, C.R.
Moule, A. J. A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface following root-end rection *in vitro*, 450
Moule, A. J. A comparison *in vitro* of fibroblast attachment to resected root-ends, 444
Muller, M. *see* Bertrand, M.-F.

Naaman, A. *see* Ounsi, H.F.
Nakamura, Y., Hirayama, K., Hossain, M. & Matsumoto, K. A case of an odontogenic cutaneous sinus tract, 328
Nattress, B.R. *see* Manogue, M.
Niinuma, A. Newly developed resinous direct pulp capping agent containing calcium hydroxide (MTYA1-Ca), 475
Nikopoulos, N. *see* Mikrogeorgis, G.
Nunn, J.H. *see* Waterhouse, P.J.
Nunn, M. H. Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer, 464
Nunn, M.H. *see* Davalou, S.

Odor, T.M., Chandler, N.P., Watson, T.F., Pitt Ford, T.R. & Mcdonald, F. Laser light transmission in teeth: a study of the patterns in different species, 296
Ogihara, H. *see* Takeichi, O.
Ogiso, B. *see* Takeichi, O.
Ørstavik, D. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations, 421
Ørstavik, D. *see* Barthel, C.R.
Ørstavik, D. *see* Waltimo, T.M.T.
Ounsi, H.F. & Naaman, A. *In vitro* evaluation of the reliability of the Root ZX electronic apex locator, 120

Papadopoulos, P.D. *see* Khabbaz, M.
Peix-Sánchez, M. & Miñana-Laliga, R. A case of unusual anatomy: a maxillary lateral incisor with three canals, 236
Peng, S. C. APEC Meeting: Singapore (Meeting Report), 500
Pertl, C., Ebeleseder, K., Lorenzoni, M., Bantleon, H.P. & Wegscheider, W.A. Contemporary treatment of the resorbed avulsed tooth: a case report, 332
Peters, O. & Barbakow, F. Apical transportation revisited or 'Where did the K-file go?', 131
Pezelj-Ribarić, S. see Miletić, I.
Pitas, I. *see* Mikrogeorgis, G.
Pitoni, C. *see* Bryant, S.T.
Pitt Ford, T.R. *see* Odor, T.M.
Pitt Ford, T.R. *see* Rhodes, J.S.
Pizzardini, P. *see* Bertrand, M.-F.
Prountzos, F. *see* Kerezoudis, N.P.
Purton, D.G. *see* Silver, G.K.

Qualtrough, A.J.E., Whitworth, J.M. & Dummer, P.M.H. Preclinical endodontology: an international comparison, 406

Regan, J.D., Gutmann, J.L., Iacopino, A.M. & Diekwisch, T. Response of periradicular tissues to growth factors introduced into the surgical site in the root-end filling material, 171
Rhodes, J.S., Pitt Ford, T.R., Lynch, J.A., Liepins, P.J. & Curtis, R.V. Micro-computed tomography: a new tool for experimental endodontology, 165
Rocca, J.-P. *see* Bertrand, M.-F.
Roth, F. *see* Sauveur, G.
Ruhi, M.Z. *see* Ayhan, H.
Runyan, D.A. *see* Apicella, M.J.

Saito, T. *see* Takeichi, O.
Saunders, W.P. *see* Fava, L.R.G.
Sauveur, G., Roth, F., Sobel, M. & Boucher, Y. The control of haemorrhage at the operative site during periradicular surgery, 225
Schertzer, L. *see* Adamo, H.L.
Schrader, C., Ackermann, M. & Barbakow, F. Step-by-step description of a rotary root canal preparation technique, 312
Shuping, G. *see* Barthel, C.R.
Silva, L.A.Bezerra *see* Filho, P.Nelson
Silver, G.K., Love, R.M. & Purton, D.G. Comparison of two vertical condensation obturation techniques: Touch 'n Heat modified and System B, 287
Siqueira, J.F.Jr & Lopes, H.P. Mechanisms of antimicrobial activity of calcium hydroxide: a critical review, 361
Sirén, E. K. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations, 421
Sirén, E.K. *see* Waltimo, T.M.T.
Slots, J. *see* Bogen, G.
Sobel, M. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436
Sobel, M. *see* Sauveur, G.
Splieth, Ch. *see* Steffen, H.
Steffen, H., Splieth, Ch. & Behr, K. Comparison of measurements obtained with hand files or the Canal Leader attached to electronic apex locators: an *in vitro* study, 103
Stich, H. *see* Lussi, A.
Sultan, N. *see* Ayhan, H.
Sweet, P.M. *see* Tidwell, E.

Takeda, F.H., Harashima, T., Kimura, Y. & Matsumoto, K. A comparative study of the removal of smear layer by three endodontic irrigants and two types of lasers, 32
Takeichi, O., Hayashi, M., Tsurumachi, T., Tomita, T., Ogihara, H., Ogiso, B. & Saito, T. Inducible nitric oxide synthase activity by interferon-γ-producing cells in human radicular cysts, 124
Tamse, A. *see* Fuss, Z.
Tavano, S. M. R. Unusual case of bilateral talon cusp associated with dens invaginatus (Clinical article), 494
Thuesen, G. *see* Bjrndal, L.
Tidwell, E., Hutson, B., Burkhart, N., Gutmann, J.L. & Ellis, C.D. *Herpes Zoster* of the trigeminal nerve 3rd branch: Review of the literature and case report, 61
Tidwell, E., Witherspoon, D.E., Gutmann, J.L., Vreeland, D.L. & Sweet, P.M. Thermal sensitivity of endodontically treated teeth, 138
Titley, K. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Toda, T. *see* Weine, F.S.
Tomita, T. *see* Takeichi, O.
Torneck, C. D. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Tsurumachi, T. *see* Takeichi, O.
Turell, I.L. & Zmener, O. Endodontic management of a mandibular third molar fused with a fourth molar, 229
Türkün, M. *see* Çalişkan, M.K.

Utrilla, L.S. *see* Filho, P.N.

Valavanis, D. *see* Kerezoudis, N.P.
Verdonschot, E. H. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study, 459
Villota, E. *see* Gutiérrez, J.H.
Vreeland, D.L. *see* Tidwell, E.

Waltimo, T. M. T. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations, 421
Waltimo, T.M.T., Sirén, E.K., rstavik, D. & Haapasalo, M.P.P. Susceptibility of oral *Candida* species to calcium hydroxide *in vitro*, 94
Waterhouse, P.J., Whitworth, J.M. & Nunn, J.H. Development of a method to detect and quantify prostaglandin E_2 in pulpal blood from cariously exposed, vital primary molar teeth, 381
Watson, T.F. *see* Odor, T.M.
Wegscheider, W.A. *see* Pertl, C.
Weine, F.S., Hayami, S., Hata, G. & Toda, T. Canal configuration of the mesiobuccal root of the maxillary first molar of a Japanese sub-population, 79
West, L.A. *see* Apicella, M.J.
Weston G. D. A comparison *in vitro* of fibroblast attachment to resected root-ends, 444
Weston, G. D. A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface following root-end rection *in vitro*, 450
Whitworth, J.M. *see* Qualtrough, A.J.E.
Whitworth, J.M. *see* Waterhouse, P.J.
Whitworth, J.M., Makhani, S.H.S. & Mccabe, J.F. Cure behaviour of visible light-activated pattern materials, 191
Wilson, P.R. *see* Lam, C.W.
Witherspoon, D.E. *see* Tidwell, E.

Yared, G.M., Bou Dagher, F.E. & Machtou, P. Cyclic fatigue of Profile rotary instruments after simulated clinical use, 115

Zecchi Orlandini, S. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484
Zmener, O. *see* Turell, I.L.

International Endodontic Journal (1999) **32**, 507–510

Keyword Index

3D imaging. Micro-computed tomography: a new tool for experimental endodontology, 165
3-D reconstruction. 3D computer-aided reconstruction of six teeth with morphological abnormalities, 88
External and internal macromorphology in 3D-reconstructed maxillary molars using computerized X-ray microtomography, 3

Acyclovir. *Herpes zoster* of the trigeminal nerve third branch: a case report and review of the literature, 61
Adhesion. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Alternating electrical current. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study, 459
Analysis. Formaldehyde release from root-canal sealers: influence of method, 10
Antibacterial dressing. Connective tissue responses to calcium hydroxide-based root canal medicaments, 303
Antimicrobial activity. Mechanisms of antimicrobial activity of calcium hydroxide: a critical review (Review), 361
Apex locator. Comparison of measurements obtained with hand files or the Canal Leader attached to electronic apex locators: an *in vitro* study, 103
Apical leakage. Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques, 388
Apical periodontitis. Susceptibility of oral *Candida* species to calcium hydroxide *in vitro*, 94
Unusual case of bilateral talon cusp associated with *dens invaginatus*, 494
Apicectomy. A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface followng root-end resection *in vitro*, 450
Assessment. Improving student learning in root canal treatment using self-assessment, 397
Augmentation. Contemporary treatment of the resorbed avulsed tooth: a case report (Clinical article), 332

Bacterial leakage. Bacterial leakage versus dye leakage in obturated root canals, 370
Bacterial microleakage. A comparison of MTA, Super-EBA, composite and amalgam as root-end filling materials using a bacterial microleakage model, 197
Biocompatibility. Connective tissue responses to calcium hydroxide-based root canal medicaments, 303
Black-pigmented anaerobic rods. Black-pigmented anaerobic rods in closed periapical lesions, 204
Bonding. Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques, 388

Calcified tissues. Deposition of calcified tissue around an overextended gutta-percha cone: case report (Clinical article), 232
Calcium hydroxide pastes: classification and clinical indications (Review), 257
Calcium hydroxide. Apex formation during orthodontic treatment in an adult patient: report of a case (Clinical article), 321
Calcium hydroxide pastes: classification and clinical indications (Review), 257
Mechanisms of antimicrobial activity of calcium hydroxide: a critical review (Review), 361
Newly developed resinous direct pulp capping agent containing calcium hydroxide (MTYA1-Ca), 475
Connective tissue responses to calcium hydroxide-based root canal medicaments, 303
Surgical extrusion of crown-root-fractured teeth: a clinical review, 146
Susceptibility of oral *Candida* species to calcium hydroxide *in vitro*, 94
Canal anatomy. Canal configuration of the mesiobuccal root of the maxillary first molar of a Japanese sub-population, 79
Canal debridement. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484
Canal irrigation. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Canal Leader. Comparison of measurements obtained with hand files or the Canal Leader attached to electronic apex locators: an *in vitro* study, 103
Canal shaping. Shaping ability of .04 and .06 taper ProFile rotary nickel-titanium instruments in simulated root canals, 155
Candida albicans. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations, 421
Candida. Susceptibility of oral *Candida* species to calcium hydroxide *in vitro*, 94
Cementation. Crown cementation and pulpal health (Review), 249
Chloroform-softened. A method of adapting gutta-percha master cones for obturation of open apex cases using heat, 53
Citric acid. A comparative study of the removal of smear layer by three endodontic irrigants and two types of laser, 32
Clinical problems. Clinical problems associated with unusual cases of talon cusp, 183
CO_2 laser. A comparative study of the removal of smear layer by three endodontic irrigants and two types of laser, 32
Coloured instruments. Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth, 108
Computer. 3D computer-aided reconstruction of six teeth with morphological abnormalities, 88
Computerized microtomography. External and internal macromorphology in 3D-reconstructed maxillary molars using computerized X-ray microtomography, 3
Coronal leakage. Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques, 388
Crown-root fractures. Surgical extrusion of crown-root-fractured teeth: a clinical review, 146
Crowns. Crown cementation and pulpal health (Review), 249
Cure behaviour. Cure behaviour of visible light-activated pattern materials, 191
Cyclic fatigue. Cyclic fatigue of Profile rotary instruments after simulated clinical use, 115

Dens evaginatus. Unusual case of bilateral talon cusp associated with *dens invaginatus*, 494
Dens invaginatus. Unusual case of bilateral talon cusp associated with *dens invaginatus*, 494
Dental anatomy. 3D computer-aided reconstruction of six teeth with morphological abnormalities, 88
Dental education. Improving student learning in root canal treatment using self-assessment, 397
Dental trauma. Apex formation during orthodontic treatment in an adult patient: report of a case (Clinical article), 321

© 1999 Blackwell Science Ltd

Dentine bonding. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Dentine. Crown cementation and pulpal health (Review), 249
Laser light transmission in teeth: a study of the patterns in different species, 296
Diagnosis. Thermal sensitivity of endodontically treated teeth, 138
Direct pulp capping. Newly developed resinous direct pulp capping agent containing calcium hydroxide (MTYA1-Ca), 475
Disinfectants. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations, 421
Double immunostaining. Inducible nitric oxide synthase activity by interferon-γ-producing cells in human radicular cysts, 124
Double tooth. Endodontic management of a mandibular third molar fused with a fourth molar, 229
Down's syndrome. Root canal anatomy of anterior and premolar teeth in Down's syndrome, 211
Dye leakage. Bacterial leakage versus dye leakage in obturated root canals, 370

Electronic apex locators. *In vitro* evaluation of the reliability of the Root ZX electronic apex locator, 120
Enamel. Laser light transmission in teeth: a study of the patterns in different species, 296
Endodontic irrigants. Antimicrobial effects of various endodontic irrigants on selected microorganisms, 99
Endodontic surgery. Response of periradicular tissues to growth factors introduced into the surgical site in the root-end filling material, 171
Endodontic therapy. A case of an odontogenic cutaneous sinus tract (Clinical article), 328
Unusual case of bilateral talon cusp associated with *dens invaginatus*, 494
Endodontic treatment. A method of adapting gutta-percha master cones for obturation of open apex cases using heat, 53
Endodontically treated teeth. Prevalence of vertical root fractures in extracted endodontically treated teeth, 283
Endodontics. A comparision in vitro of fibroblast attachment to resected root-ends, 444
Improving student learning in root canal treatment using self-assessment, 397
Shaping ability of .04 and .06 taper ProFile rotary nickel-titanium instruments in simulated root canals, 155
Micro-computed tomography: a new tool for experimental endodontology, 165
The removal of the smear layer using the Quantec system: a study using the scanning electron microscope 217
Root canal anatomy of anterior and premolar teeth in Down's syndrome, 211
Endodontology. Preclinical endodontology: an international comparison, 406
Er:YAG laser. A comparative study of the removal of smear layer by three endodontic irrigants and two types of laser, 32
External and internal macromorphology in 3D-reconstructed maxillary molars using computerized X-ray microtomography, 3
External dental fistula. A case of an odontogenic cutaneous sinus tract (Clinical article), 328

Fibroblasts. A comparision in vitro of fibroblast attachment to resected root-ends, 444
Fluid transport. Leakage of five root canal sealers, 415
Forces. Analysis of forces developed during mechanical preparation of extracted teeth using Profile NiTi rotary instruments, 24
Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth, 108
Formaldehyde. Formaldehyde release from root-canal sealers: influence of method, 10
Fusion. Endodontic management of a mandibular third molar fused with a fourth molar, 229

Glass ionomer cement. The shear bond strength of glass ionomer cement sealers to bovine dentine conditioned with common endodontic irrigants, 430
Glass ionomer. A comparison of root fracture resistance using two root canal sealers, 376
Growth factors. Response of periradicular tissues to growth factors introduced into the surgical site in the root-end filling material, 171
Gutta-percha. A method of adapting gutta-percha master cones for obturation of open apex cases using heat, 53

Hand instrumentation. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484
Herpes zoster. *Herpes zoster* of the trigeminal nerve third branch: a case report and review of the literature, 61
Histopathology. A case of an odontogenic cutaneous sinus tract (Clinical article), 328

Implants. Contemporary treatment of the resorbed avulsed tooth: a case report (Clinical article), 332
In vitro evaluation of the reliability of the Root ZX electronic apex locator, 120
Incomplete root formation. Apex formation during orthodontic treatment in an adult patient: report of a case (Clinical article), 321
Inducible nitric oxide synthase. Inducible nitric oxide synthase activity by interferon-γ-producing cells in human radicular cysts, 124
Instrument fracture. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage, 436
Interferon-γ. Inducible nitric oxide synthase activity by interferon-γ-producing cells in human radicular cysts, 124

JUSTY. Comparison of measurements obtained with hand files or the Canal Leader attached to electronic apex locators: an *in vitro* study, 103
Laser light transmission in teeth: a study of the patterns in different species, 296

Lateral condensation. A method of adapting gutta-percha master cones for obturation of open apex cases using heat, 53
Oburation of root canals with different sealers using non-instrumentation technology, 17
Leakage. Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer, 464
Leakage of five root canal sealers, 415
Oburation of root canals with different sealers using non-instrumentation technology, 17
Light transmission. Laser light transmission in teeth: a study of the patterns in different species, 296
Light-activated pattern materials. Cure behaviour of visible light-activated pattern materials, 191
LightSpeed. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484
Lumin-X. Cure behaviour of visible light-activated pattern materials, 191

Mandibular first molar. Incidence of four canals in root-canal-treated mandibular first molars in a Saudi Arabian subpopulation, 49
Maxillary lateral incisor. A case of unusual anatomy: a maximal lateral incisor with three canals (Case report), 236
Mechanical instrumentation. Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation, 484
Mechanical instruments. Analysis of forces developed during mechanical preparation of extracted teeth using Profile NiTi rotary instruments, 24
Mechanisms of antimicrobial activity of calcium hydroxide: a critical review (Review), 361

Mesiobuccal root (MBR). Canal configuration of the mesiobuccal root of the maxillary first molar of a Japanese sub-population. 79
Methenamin. Formaldehyde release from root-canal sealers: influence of method. 10
Micro-computed tomography. Micro-computed tomography: a new tool for experimental endodontology. 165
Microleakage. A comparison of MTA. Super-EBA. composite and amalgam as root-end filling materials using a bacterial microleakage model. 197
Microorganisms. Antimicrobial effects of various endodontic irrigants on selected microorganisms. 99
Microscope. Apical transportation revisited or 'Where did the K-File go?'. 131
Morphological abnormalities. 3D computer-aided reconstruction of six teeth with morphological abnormalities. 88
Multinational. Preclinical endodontology: an international comparison. 406

Nickeltitanium. Cyclic fatigue of Profile rotary instruments after simulated clinical use. 115
Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage. 436
Shaping ability of .04 and .06 taper ProFile rotary nickel-titanium instruments in simulated root canals. 155
The removal of the smear layer using the Quantec system: a study using the scanning electron microscope 217

Obturation. Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer. 464
Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques. 388
Oburation of root canals with different sealers using non-instrumentation technology. 17
Odontoblast. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study. 459
Odontogenic cutaneous sinus tract. A case of an odontogenic cutaneous sinus tract (Clinical article). 328
Open apex. A method of adapting gutta-percha master cones for obturation of open apex cases using heat. 53
Orthodontics. Apex formation during orthodontic treatment in an adult patient: report of a case (Clinical article). 321
Overfilling. Human teeth with periapical pathosis after overinstrumentation and overfilling of the root canals: a scanning electron microscopic study. 40
Overinstrumentation. Human teeth with periapical pathosis after overinstrumentation and overfilling of the root canals: a scanning electron microscopic study. 40

Paraformaldehyde. Formaldehyde release from root-canal sealers: influence of method. 10
Pastes. Calcium hydroxide pastes: classification and clinical indications (Review). 257
Perforated apical foramen. A method of adapting gutta-percha master cones for obturation of open apex cases using heat. 53
Periapical infections. Black-pigmented anaerobic rods in closed periapical lesions. 204
Periapical pathosis. Human teeth with periapical pathosis after overinstrumentation and overfilling of the root canals: a scanning electron microscopic study. 40
Phosphoric acid. A comparative study of the removal of smear layer by three endodontic irrigants and two types of laser. 32
Polymerization. Cure behaviour of visible light-activated pattern materials. 191
Porphyromonas endodontalis. Black-pigmented anaerobic rods in closed periapical lesions. 204
Porphyromonas gingivalis. Black-pigmented anaerobic rods in closed periapical lesions. 204
Post-treatment. Thermal sensitivity of endodontically treated teeth. 138
Preclinical. Preclinical endodontology: an international comparison. 406
Pressure. Crown cementation and pulpal health (Review). 249
Primary molar. Development of a method to detect and quantify prostaglandin E_2 in pulpal blood from cariously exposed, vital primary molar teeth. 381
ProFile. Step-by-step description of a rotary root canal preparation technique (Clinical article). 312
Prostaglandin. Development of a method to detect and quantify prostaglandin E_2 in pulpal blood from cariously exposed, vital primary molar teeth. 381
Pulp damage. Effects of alternating and direct electrical current application on the odontoblastic layer in human teeth: an *in vitro* study. 459
Pulpless teeth. Human teeth with periapical pathosis after overinstrumentation and overfilling of the root canals: a scanning electron microscopic study. 40
Pulpotomy. Development of a method to detect and quantify prostaglandin E_2 in pulpal blood from cariously exposed, vital primary molar teeth. 381

Radicular cysts. Inducible nitric oxide synthase activity by interferon-γ-producing cells in human radicular cysts. 124
Regeneration. Response of periradicular tissues to growth factors introduced into the surgical site in the root-end filling material. 171
Reimplantation. Contemporary treatment of the resorbed avulsed tooth: a case report (Clinical article). 332
Reliability. *In vitro* evaluation of the reliability of the Root ZX electronic apex locator. 120
Resinous direct pulp capping agent. Newly developed resinous direct pulp capping agent containing calcium hydroxide (MTYA1-Ca). 475
Retreatment. Apical transportation revisited or 'Where did the K-File go?'. 131
Canal configuration of the mesiobuccal root of the maxillary first molar of a Japanese sub-population. 79
Thermal sensitivity of endodontically treated teeth. 138
Root apex. A comparision in vitro of fibroblast attachment to resected root-ends. 444
Root canal anatomy of anterior and premolar teeth in Down's syndrome. 211
Root canal anatomy. A case of unusual anatomy: a maximal lateral incisor with three canals (Case report). 236
Root canal filling. Bacterial leakage versus dye leakage in obturated root canals. 370
Leakage of five root canal sealers. 415
Deposition of calcified tissue around an overextended gutta-percha cone: case report (Clinical article). 232
Root canal irrigation. Antimicrobial effects of various endodontic irrigants on selected microorganisms. 99
Root canal morphology. Incidence of four canals in root-canal-treated mandibular first molars in a Saudi Arabian subpopulation. 49
Root canal anatomy of anterior and premolar teeth in Down's syndrome. 211
Root canal obturation. Oburation of root canals with different sealers using non-instrumentation technology. 17
Root canal preparation. Oburation of root canals with different sealers using non-instrumentation technology. 17
Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage. 436
Root canal sealer. Formaldehyde release from root-canal sealers: influence of method. 10
Root canal system. External and internal macromorphology in 3D-reconstructed maxillary molars using computerized X-ray microtomography. 3
Root canal therapy. Deposition of calcified tissue around an overextended gutta-percha cone: case report (Clinical article). 232
Thermal sensitivity of endodontically treated teeth. 138
Root canal treatment failure. Apical transportation revisited or 'Where did the K-File go?'. 131

Root canal treatment. Mechanisms of antimicrobial activity of calcium hydroxide: a critical review (Review). 361
Root canal working length. Comparison of measurements obtained with hand files or the Canal Leader attached to electronic apex locators: an *in vitro* study. 103
Root canals. Shaping ability of .04 and .06 taper ProFile rotary nickel-titanium instruments in simulated root canals. 155
Root complex. External and internal macromorphology in 3D-reconstructed maxillary molars using computerized X-ray microtomography. 3
Root fracture. A comparison of root fracture resistance using two root canal sealers. 376
Root resection. A comparision in vitro of fibroblast attachment to resected root-ends. 444
A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface followng root-end resection *in vitro*. 450
Root resorption. Contemporary treatment of the resorbed avulsed tooth: a case report (Clinical article). 332
ROOT ZX. Comparison of measurements obtained with hand files or the Canal Leader attached to electronic apex locators: an *in vitro* study. 103
In vitro evaluation of the reliability of the Root ZX electronic apex locator. 120
Root-end fillings. A comparison of MTA, Super-EBA, composite and amalgam as root-end filling materials using a bacterial microleakage model. 197
Rotary files. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage. 436
Shaping ability of .04 and .06 taper ProFile rotary nickel-titanium instruments in simulated root canals. 155
Rotary instruments. Cyclic fatigue of Profile rotary instruments after simulated clinical use. 115
Rotary technique. Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth. 108

Scanning electron microscopy. A scanning electron microscopic evaluation of root surfaces and the gutta-percha interface following root-end resection *in vitro*. 450
Scanning electron microscope study on the efficacy of root canal wall debridement of hand versus Lightspeed instrumentation. 484
Sealers. A comparison of root fracture resistance using two root canal sealers. 376
Shingles. *Herpes zoster* of the trigeminal nerve third branch: a case report and review of the literature. 61
Simulated canals. Rotary Ni-Ti profile systems for preparing curved canals in resin blocks: influence of operator on instrument breakage. 436
Smear layer. A comparative study of the removal of smear layer by three endodontic irrigants and two types of laser. 32
Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer. 464
The removal of the smear layer using the Quantec system: a study using the scanning electron microscope 217
Sterilization. Cyclic fatigue of Profile rotary instruments after simulated clinical use. 115
Surgical extrusion. Surgical extrusion of crown-root-fractured teeth: a clinical review. 146
Susceptibility. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations. 421
Susceptibility of oral *Candida* species to calcium hydroxide *in vitro*. 94
System B. Comparison of two vertical condensation obturation techniques: Touch 'n Heat modified and System B. 287

Talon cusp. Clinical problems associated with unusual cases of talon cusp. 183
Unusual case of bilateral talon cusp associated with *dens invaginatus*. 494
Teaching. Preclinical endodontology: an international comparison. 406
Technique. Step-by-step description of a rotary root canal preparation technique (Clinical article). 312
Teeth. Laser light transmission in teeth: a study of the patterns in different species. 296
Thermafil. Adaptation and sealability of two contemporary obturation techniques in the absence of the dentinal smear layer. 464
Thermal sensitivity of endodontically treated teeth. 138
Thermal sensitivity. Thermal sensitivity of endodontically treated teeth. 138
Thermoplasticized gutta-percha. Assessment of apical and coronal root canal seals using contemporary endodontic obturation and restorative materials and techniques. 388
Three canals. A case of unusual anatomy: a maximal lateral incisor with three canals (Case report). 236
Tooth extraction. Prevalence of vertical root fractures in extracted endodontically treated teeth. 283
Tooth malformation. Endodontic management of a mandibular third molar fused with a fourth molar. 229
Torque. Analysis of forces developed during mechanical preparation of extracted teeth using Profile NiTi rotary instruments. 24
Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth. 108
Touch 'n Heat. Comparison of two vertical condensation obturation techniques: Touch 'n Heat modified and System B. 287
Toxicity. Deposition of calcified tissue around an overextended gutta-percha cone: case report (Clinical article). 232
Transducers. Analysis of forces developed during mechanical preparation of extracted teeth using Profile NiTi rotary instruments. 24
Location of contact areas on rotary Profile instruments in relationship to the forces developed during mechanical preparation on extracted teeth. 108
Trigeminal. *Herpes zoster* of the trigeminal nerve third branch: a case report and review of the literature. 61

Undergraduate. Preclinical endodontology: an international comparison. 406

Vaccuum technique. Oburation of root canals with different sealers using non-instrumentation technology. 17
Vehicles. Calcium hydroxide pastes: classification and clinical indications (Review). 257
Vertical compaction. Adaptation and sealability of two contemporary ob-turation techniques in the absence of the dentinal smear layer. 464
Vertical condensation. Comparison of two vertical condensation obturation techniques: Touch 'n Heat modified and System B. 287
Vertical root fractures. Prevalence of vertical root fractures in extracted endodontically treated teeth. 283
Visioform. Cure behaviour of visible light-activated pattern materials. 191
Vital pulp. Development of a method to detect and quantify prostaglandin E_2 in pulpal blood from cariously exposed, vital primary molar teeth. 381

Wound healing. A comparision in vitro of fibroblast attachment to resected root-ends. 444
Response of periradicular tissues to growth factors introduced into the surgical site in the root-end filling material. 171

Yeasts. *In vitro* susceptibility of *Candida albicans* to four disinfectants and their combinations. 421
Susceptibility of oral *Candida* species to calcium hydroxide *in vitro*. 94

Zoster sine herpete. *Herpes zoster* of the trigeminal nerve third branch: a case report and review of the literature. 61